

Instructions for Bathing - Before Surgery

Your surgeon suggests you cleanse your skin with 4% Chlorhexidine Gluconate (CHG) before surgery. This is a chemical found in soaps like Hibiclens® and other brands. Gather and/or buy all of your supplies before showering. CHG soap is sold at the City of Hope outpatient pharmacy and other large drug stores. **Please read the instructions before you shower.**

Supplies Needed For Your Shower/Bath

- 1 Bottle of 4% CHG antiseptic soap
- 2 -Clean wash cloths
- 1 Clean, dry towel
- 1 Regular soap to wash your face

First Shower/Bath Night BEFORE Surgery

- Shampoo and rinse your hair
- With the first clean washcloth, wash your surgical site.
- From the neck down, wash the rest of your body with the same washcloth.
 - If your surgical site is in your rectal or genital zone, use a different clean washcloth and towel to wash and dry the rest of your body.
 - NEVER use CHG Soap on your face, or genitals.
 - o If your surgical site is on your face, wash your face with normal soap
 - o You can use the CHG from the neck down
- Rinse off fully.
- With the second clean washcloth, rewash the surgical site only & rinse with clean water.
- Dry your surgical site first, and then the rest of your body.
- Do not re-dry the surgical site with the same towel.

Second Shower/Bath Morning BEFORE Surgery

- Repeat the steps from Night Before surgery
- After your second shower/bath, do not put on any lotion, powder, deodorant, perfume, makeup, or hair products.
- Please make sure your hair is fully dry before arriving at the hospital.
- Put on clean, dry, loose clothes that are easy to take off and put on.
- Remove all jewelry and body piercings.

Contact City of Hope for any questions or concerns

Please:

- Bring this form with you on the day of your surgery.
- Remember to remove all jewelry and body piercings before arriving for your surgery.

l,	(Patient Name), DID bathe as told:
Night before surgery	
Morning of surgery	
Patient's Signature:	
Date:	
**STAFF please fax completed for x68954	m to Infection Prevention (626) 301-8954 or